



COPY OF PAPERS
ORIGINALLY FILED

MP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:)	
)	Examiner: not assigned
DeSilets, et al.)	
)	Art Unit: 2882
Serial No.: 10/051,590)	
)	
Filed: October 19, 2001)	BOX MISSING PARTS
)	
For: Multimodality Medical Imaging System And)	
Method With Separable Detector Devices)	
)	
Attorney Docket No.: US018173)	Cleveland, Ohio 44143
)	June 18, 2002

COMPLETION OF FILING REQUIREMENTS-
RESPONSE TO NOTICE OF INCOMPLETE REPLY TO FILE MISSING PARTS
OF NONPROVISIONAL APPLICATION

Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

In connection with the above-entitled case, please find enclosed: (1) copy of the formal drawings previously submitted within the allocated time period, (2) copy of the PTO date stamped return receipt postcard for the submission of formal drawings, and (3) Notice of Incomplete Reply (NonProvisional) dated 5/20/02.

The Commissioner is hereby authorized to charge any additional fees which may be required, or to credit any overpayment, to Deposit Account No. 14-1270.

Respectfully submitted,

Eugene E. Clair
Reg. No. 41,679

Philips Medical Systems (Cleveland), Inc.
595 Miner Road
Cleveland, Ohio 44143
Tel: 440/483-2373

21212.1

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Attention: Box Missing Parts, Washington, D.C. 20231 on this 18th day of June, 2002.

Ernestine Malzeke



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

COPY OF PAPERS
ORIGINALLY FILED

In re application of

Mark DeSilets, et al

Examiner: unknown

Serial No. 10/051,590

Group Art Unit 2882

Filed: October 19, 2001

Docket No.: US 018175

For: Multimodality Medical Imaging System and
Method With Separable Detector Devices

Philips Medical Systems (Cleveland), Inc.
595 Miner Road
Cleveland, Ohio 44143
May 6, 2002

Assistant Commissioner for Patents
Washington, D.C. 20231
Attn: Official Draftsman

SUBMISSION OF FORMAL DRAWINGS

Dear Sir:

Enclosed with this document are eleven (11) sheets of formal drawings for this application, FIGS. 1-11. Please substitute these formal drawings for the informal drawings submitted with the filing of the application. Please charge any fees attendant on this submission to our Deposit Account No. 14-1270.

Respectfully submitted,

Eugene E. Clair
Reg. No. 41,679

Tel: 440/483-4281
Enclosures

20780.1

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:
Assistant Commissioner for Patents, Washington, D.C. 20231 on this 7th day of May, 2002.

By:
Patricia R. Tschantz



COPIED
JUN 24 2002
OFFICE

UNITED STATES PATENT AND TRADEMARK OFFICE

COPY OF PAPER
ORIGINALLY FILED

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/051,590	10/19/2001	Mark DeSilets	US018173

CONFIRMATION NO. 1157

FORMALITIES LETTER



OC00000008151396

Corporate Counsel
Philips Electronics North America Corporation
580 White Plains Road
Tarrytown, NY 10591

Date Mailed: 05/20/2002

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on 04/23/2002 to the Notice to File Missing Parts (Notice) mailed 03/13/2002 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

MT Byrne
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

20020520 0655T001